Version With Markings to Show Changes Made

In the specification:

Page 1, line 2, add the following new paragraph:

-- This application is a divisional of pending Serial No. 09/627,612 filed July 28, 2000.--

Page 5, 8 lines from the bottom, delete "Figure 1 a schematic illustration" and substitute therefor --Figures 1(A), (B) and (C) schematic illustrations--.

In the claims:

- 7. (Amended) A gel solution [containing] <u>comprising</u> an ionotropic gel and a crosslinking agent [according to one of claims 1 through 6] <u>comprising a carrier substance and counterions</u> releasably bound to said <u>carrier substance</u>.
- 8. (Amended) A powder composition [consisting of] <u>comprising</u> a dried, uncrosslinked ionotropic gel and a dried crosslinking agent [according to one of claims 1 through 6] <u>comprising a carrier substance and counterions releasably bound to said carrier substance</u>.
- 9. (Amended) A method of crosslinking ionotropic gels [using] with a crosslinking agent [according to one of claims 1 through 6] comprising a carrier substance and counterions releasably bound to said carrier substance with the steps:
 - providing a mixture of the gel molecule to be crosslinked and the crosslinking agent,
 - forming a layered body or a volume-molded body of the mixture, and
 - crosslinking the gel molecules by the external influence of a substance, temperature or radiation, which causes the counterions to be released from the carrier substance.
 - 10. (Amended) The method according to claim [1] 9, whereby the first step of providing

<u>said mixture</u> comprises providing an aqueous solution of the gel molecules to be crosslinked and adding <u>to said aqueous solution</u> the crosslinking agent.

- 11. (Amended) The method according to claim 9, whereby the first step of providing said mixture comprises [includes] mixing and grinding a powder of [the uncrosslinked] said gel molecules to be crosslinked and [the] said crosslinking agent.
- 12. (Amended) The method according to [one of claims 9 through 11] <u>claim 9</u>, whereby the crosslinking is induced by UV light exposure.
- 13. (Amended) The method according to [one of claims 9 through 11] <u>claim 9</u>, whereby the crosslinking is induced by acidification.
- 14. (Amended) The method according to [one of claims 9 through 13] <u>claim 9</u>, whereby the crosslinked ionotropic gel is formed in capsule form.
 - 16. (Cancelled)
- 17. (Newly added) A method for treating a wound, comprising applying to said wound a wound dressing comprising a gel solution comprising an aqueous solution of gel molecules to be crosslinked and a crosslinking agent comprising a carrier substance and counterions releasably bound to said carrier substance.
- 18. (Newly added) A method for filling a cavity in a tooth, comprising applying to said tooth the powder composition of claim 8.
- 19. (Newly added) A transplant encapsulation, comprising biological cells encapsulated in an ionotropic gel crosslinked by a crosslinking agent comprising a carrier substance and counterions releasably bound to said carrier substance.
- 20. (Newly added) A food encapsulation, comprising a food ingredient encapsulated in an ionotropic gel crosslinked by a crosslinking agent comprising a carrier substance and counterions

releasably bound to said carrier substance.

21. (Newly added) A cosmetic encapsulation, comprising a cosmetic ingredient encapsulated in an ionotropic gel crosslinked by a crosslinking agent comprising a carrier substance and counterions releasably bound to said carrier substance.